

THE FERN GAZETTE

INDEX

VOLUME 19

THE FERN GAZETTE is a journal of the British Pteridological Society and contains peer-reviewed papers on all aspects of pteridology.

Manuscripts may be submitted, and books etc. sent for review, to: Prof. M. Gibby,
Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh, EH3 5LR, UK
E-mail: FernGazette@eBPS.org.uk

Copyright © 2017 British Pteridological Society. All rights reserved. No part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means) without the permission of the British Pteridological Society.

The Parts of the Fern Gazette Volume 19 were published on the following dates and comprised the following pages:

	Date of Publication	Pages
Part 1	8th March 2012	1-32
Part 2	25th June 2012	33-64
Part 3	9th January 2013	65-96
Part 4	29th April 2013	97-140
Part 5	18th October 2013	141-192
Part 6	23rd January 2014	193-240
Part 7	2nd April 2014	241-280
Part 8	8th November 2014	281-342

Published by THE BRITISH PTERIDOLOGICAL SOCIETY
c/o Department of Botany,
The Natural History Museum, Cromwell Road, London SW7 5BD, UK

Printed by Bishops Printers Limited
Walton Road, Farlington, Portsmouth, PO6 1TR, UK
www.bishops.co.uk

Compiled by Andrew Leonard



SUBJECT INDEX




<i>Abrodictyum</i>	171, 177		246
<i>cellulosum</i>	177	<i>poiretii</i> var. <i>sulphureum</i>	160
<i>rigidum</i>	171	<i>pusillum</i>	275-276
<i>Acrostichum</i>	147, 167-168, 173-175, 194, 196, 198	<i>raddianum</i>	159-160, 258
<i>acuminans</i>	173	<i>sulphureum</i>	160
<i>acutum</i>	174	<i>sulphureum</i> . var. <i>subsulphureum</i>	160
<i>amplissimum</i>	174	<i>tenerum</i>	12
<i>aureum</i>	198	Afghanistan	53
<i>consobrinum</i>	167	Africa	30-31, 89, 91, 213, 215, 217, 219, 223, 225, 227, 246, 248, 250-251, 259, 261, 269, 272, 297
<i>danaeifolium</i>	194, 196	Africa-Madagascar-Mascarene region	89
<i>lepidopteris</i>	168	Africa/Madagascar	248, 250
<i>squamosum</i>	175	African fern	215, 219, 237
<i>Actinostachys</i>	177	African plant	215, 217, 219-220, 223, 237
<i>dichotoma</i>	177	African species	213, 219, 220, 225, 248
<i>pennula</i>	177	Conspectus of Southern African Pteridophyta	30
<i>Adiantaceae</i>	147	East Africa	225
<i>Adiantum</i>	12, 97-98, 101-102, 104, 107, 116, 143, 159-162, 195, 217, 246, 249, 258, 275-276, 331	Fern Flora Worldwide Threats and Responses	68
<i>andicola</i>	12	Ferns of Southern Africa	30
<i>capillus-veneris</i>	97-98, 101-102, 104, 107, 116, 159-160	Flora of Tropical East Africa	89
<i>caudatum</i>	159-160	Gabon	91
<i>concinnum</i>	12, 159-161	NW African coast	297
<i>concinnum</i> var. <i>subvolubile</i>	160	Polypodiaceae in Africa	248
<i>crenatum</i>	160	South Africa, Cape Province, Kalk Bay Mountain	221
<i>feeii</i>	12	South African National Botanical Institute	272
<i>gratum</i>	160	south-eastern Africa	261
<i>incisum</i>	160	Southern Africa	259
<i>lutescens</i>	160	Southern African ferns and fern allies	30
<i>pedatum</i>	195	Southern-most Africa	269
<i>philippense</i>	160	The ferns and fern allies of southern Africa	30
<i>poiretii</i>	12, 159-160, 162,	tropical Africa	269

<i>Alansmia</i>	12, 172	Anemiaceae	147
<i>cultrata</i>	12	<i>Angiopteris</i>	193
<i>reclinata</i>	172	<i>evecta</i>	193
<i>senilis</i>	12	Annual Review of Pteridological Research	203, 204
<i>smithii</i>	12	apical cell	141, 143-149, 152, 153
<i>Allosorus</i>	275-277	<i>Arachniodes</i>	12
× <i>ibericus</i>	277	<i>denticulata</i>	12
× <i>insularis</i>	277	<i>Archigrammitis</i>	135-137
× <i>kochianus</i>	277	<i>demissa</i>	135-136
× <i>kurdicus</i>	277	<i>friderici-et-pauli</i>	135-137
× <i>malacitensis</i>	277	<i>marquesensis</i>	135-137
× <i>marchettianus</i>	277	<i>ponapensis</i>	135, 137
× <i>prototinaei</i>	277	<i>samoensis</i>	135, 137
× <i>tolocensis</i>	277	<i>tahitensis</i>	135, 137
<i>acrosticus</i>	276-277	Argentina	48, 51, 204, 258
<i>coriaceus</i>	276	Boletín de la Sociedad Argentina de Botánica	258
<i>fragilis</i>	276	<i>Ascogrammitis</i>	12
<i>guanchicus</i>	276-277	<i>anfractuosa</i>	12
<i>hispanicus</i>	276-277	Asia	47-48, 57, 135, 183, 207, 213, 219, 225, 231, 237
<i>persicus</i>	276-277	Asia-Malesia-Pacific region	135
<i>pteridioides</i>	276-277	Central Asia	48
<i>pulchellus</i>	276	East Asia	47
<i>pusillus</i>	275-276	northern and eastern Asia	48
<i>tinaei</i>	276-277	northern Asia	183
<i>Alsophila</i>	167-168, 170-172, 177, 196	South Asia	225, 237
<i>bipinnatifida</i>	177	South East Asia	207, 213, 225, 231
<i>decipiens</i>	170-171	southern Central and East Asia	47
<i>firma</i>	196	Western Asia	48
<i>goyazensis</i>	171	Asia Minor	275
<i>leucolepis</i> var. <i>firma</i>	172	<i>Aspidium</i>	143, 168, 176, 177
<i>paleolata</i>	167	<i>amaurolepis</i>	168
<i>scrobiculata</i>	167	<i>capense</i>	177
<i>tijucensis</i>	168	<i>Nephrodium</i>	176
America	248, 250, 307	<i>Asplenium</i>	12-13, 53, 73, 76, 95, 195, 205-206, 213, 215-217, 219-237, 246, 249,
tropical America	307		
Americas	246		
Anatolia	47, 53		
<i>Anemia</i>	12, 141-143, 147, 153, 198, 246, 249		
<i>Anemia</i> -type	141-142, 147, 153		
<i>hirsuta</i>	12		
<i>phyllitidis</i>	12, 147		
subg. <i>Coptophyllum</i>	246		


	251, 259-269, 313, 315, 330-333, 335-336	<i>gueinzianum</i>	225
<i>achilleifolium</i>	12	<i>guienzianum</i>	225
<i>acutum</i>	265	<i>harpeodes</i>	13
<i>adiantoides</i>	215, 217, 219-220, 223, 225, 227, 233, 237	<i>hemionitis</i>	264
<i>adiantum-nigrum</i>	264-265	<i>laciniatum</i>	225
<i>adiantum-nigrum</i> × <i>obovatum</i> subsp.		<i>lacinioides</i>	225
<i>lanceolatum</i>	264	<i>lividum</i>	246
<i>adiantum-nigrum</i> × <i>onopteris</i>		<i>macilentum</i>	261
	264	<i>macrophyllum</i>	213, 225, 227, 229-231, 233, 235, 237
<i>aethiopicum</i>	213, 215, 217, 219-221, 223, 225, 237	<i>macrophyllum</i> var. <i>urophyllum</i>	233
<i>anceps</i>	262, 264	<i>majoricum</i>	73
<i>anisophyllum</i>	246	<i>marinum</i>	73
<i>auriculatum</i>	13	<i>miradoreense</i>	13
<i>auritum</i>	246, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269	<i>monanthes</i>	13, 264
<i>auritum</i> var. <i>bipinnatifidum</i>		<i>monodon</i>	13
	261	<i>mysoreense</i>	227
<i>azoricum</i>	262, 264, 265, 268	<i>obovatum</i> subsp. <i>lanceolatum</i>	264-265
<i>azoricum</i> × <i>onopteris</i>	264	<i>onopteris</i>	264-265
<i>azoricum</i> × <i>scolopendrium</i>		<i>onopteris</i> × <i>obovatum</i> subsp. <i>lanceolatum</i>	264
	264		264
<i>azoricum</i> × <i>trichomanes</i> subsp. <i>quadrivalens</i>		<i>onopteris</i> × <i>scolopendrium</i>	264
	264		264
<i>bipinnatum</i>	227	<i>polyodon</i>	213, 217, 219, 223, 225-231, 233-234, 237
<i>blepharophorum</i>	13	<i>polyphyllum</i>	13
<i>caudatum</i>	227	<i>porrectum</i>	229
<i>cultratum</i>	233, 236	<i>praemorsum</i>	13, 215, 219, 223, 225
<i>cuspidatum</i>	261	<i>protensum</i>	229
<i>decrescens</i>	227	<i>rigidum</i>	261
<i>falcatum</i>	213, 215-217, 219, 220-225, 227-233, 235, 237	<i>ruta-muraria</i>	262
<i>feei</i>	246	<i>scolopendrium</i>	205-206, 264, 315
<i>finlaysonianum</i>	225, 227, 231	<i>scolopendrium</i> var. <i>americanum</i>	313
<i>foreziense</i>	95	<i>septentrionale</i>	53, 206
<i>formosum</i>	246	<i>serra</i>	13, 246
<i>fragrans</i>	13	<i>sessilifolium</i>	13
<i>friesiorum</i>	225-246	<i>species</i>	213
		<i>trichomanes</i> subsp. <i>hastatum</i>	95


<i>trichomanes</i> subsp. <i>quadrivalens</i>	264	<i>Bolbitis</i>	169, 172, 198
<i>urophyllum</i>	233	<i>serratifolia</i>	169, 172
<i>viride</i> var. <i>incisum</i>	95	Bolivia	6, 241, 261
<i>wrightii</i>	195	Borneo	136, 208, 210, 231, 296
<i>Athyrium</i>	73, 95, 206, 331, 336	<i>Botrychium</i>	14, 95, 194-195, 269
<i>distentifolium</i>	206, 336	<i>decompositum</i>	14
<i>filix-femina</i>	73, 95, 336	<i>gallicomontanum</i>	194
Australasia	213, 227, 233	<i>lunaria</i>	195, 269
Australia	36, 225, 228, 237	<i>matricarifolium</i>	95
Austria	337	<i>mormo</i>	194
<i>Azolla</i>	193	<i>virginianum</i>	14, 194
<i>filiculoides</i>	193	Bracken	281-292
Azores	259-261, 264-265, 269-270	Brazil	1, 2, 6, 8, 95, 166, 174-176, 241-242, 244-251, 258, 261
		coastal	241
Bangladesh	227, 231	eastern	250
basic chromosome number	319	Guyana	175
Belgium	57, 290	northeastern	6
<i>Belvisia</i>	198	northern	2, 6
<i>mucronata</i>	198	Rio Branco and Rio Negro	174
Bermuda	44	Rio de Janeiro	174
bivalents	319, 321-323, 329-335	southeastern	246
<i>Blechnum</i>	13, 41, 95, 168, 175, 198, 246, 249	southern	244
<i>appendiculatum</i>	13	southern and southeastern	244
<i>asplenioides</i>	168, 175	Britain	55-56, 185-187, 195, 205-206, 285, 290, 298
<i>asplenoides</i>	175	British Isles	35-37, 55-57, 60, 117, 181, 191, 297, 299, 305
<i>occidentale</i>	13	Bulgaria	49-50
<i>polypodioides</i>	13	Canada	49
<i>schiedeanum</i>	13	Pirin Mountains	50
<i>schomburgkii</i>	246	Rila Mountains	49
<i>spicant</i>	41		
<i>stoloniferum</i>	13		
<i>tabulare</i>	246		
blue light	97, 98, 99, 103, 104, 105, 107, 109, 116		


<i>Callistopteris</i>	150	<i>pteridioides</i>	276
<i>Campyloneurum</i>	14, 244, 249	<i>pulchella</i>	276
<i>amphostenon</i>	14	<i>rufa</i>	162
<i>angustifolium</i>	14	<i>sensu lato</i>	276
<i>tenuipes</i>	14	<i>tinaei</i>	276
<i>xalapense</i>	14	Chile	48
Canada	194, 337	China	48, 186, 213, 225, 227, 258, 296
Canaries	259-260, 269	Flora of China	225, 227, 258
Cape Verde	259-260, 269	Yunnan to Hainan	227
Caribbean	259, 261, 307	<i>Chingia</i>	70
Celaque	11-12	<i>australis</i>	70
Celatopteridaceae	147	chloroplast movement	97-99, 105-107, 109, 116
Central America	11, 160, 225, 245-246, 259, 261	<i>Christella</i>	70
Centro America	11	<i>dentata</i>	70
<i>Ceradenia</i>	14	<i>Christiopteris</i>	145
<i>jungermanniioides</i>	14	chromosome pairing	319-321, 326-329, 331-335, 336
<i>margaritata</i>	14	<i>Cibotium</i>	14, 198-199
Ceratopteridaceae	147	<i>regale</i>	14
<i>Ceratopteris</i>	98, 143, 147, 328, 336	<i>taiwanense</i>	198
<i>Ceratopteris-type</i>	147	cloud forest	11
<i>richardii</i>	98	Clubmoss	55
<i>Ceropteris</i>	167	<i>Cochlidium</i>	14, 89, 135
<i>tartarea</i>	167	<i>linearifolium</i>	14
<i>Cheilanthes</i>	14, 162, 199, 275, 276, 277, 331	<i>rostratum</i>	14
× <i>iberica</i>	277	<i>serrulatum</i>	89
× <i>insularis</i>	277	Colombia	6
× <i>kochiana</i>	277	<i>Colysis</i>	141-143, 147, 149-153
× <i>kurdica</i>	277	(ribbon)	152
× <i>malacitensis</i>	277	<i>Colysis-type</i>	141-142, 147, 149-153
× <i>marchettiana</i>	277	<i>decurrens</i>	147
× <i>tolocensis</i>	277	<i>gametophytes</i>	147
<i>acrostica</i>	276	Comoros	225
<i>complanata</i>	14	comparative development	141, 143, 146, 152, 157
<i>coriacea</i>	276	Congo	261
<i>fragrans</i>	276	People's Republic of Congo	261
<i>guanchica</i>	276	Cornwall	297
<i>hispanica</i>	276	<i>Cosentinia</i>	73
<i>lendigera</i>	14		
<i>maderensis</i>	276		
<i>micropteris</i>	275-276		
<i>persica</i>	276		



<i>vellea</i>	73		167-168, 172,
Costa Rica	6, 203, 324		176-178, 249, 251
cryopreservation	67, 72-73, 75-76,	<i>axillaris</i>	172
	307-308, 312-313,	<i>bipinnatifida</i>	176
	315-316	<i>cyatheoides</i>	177
<i>Crypsinus</i>	145, 147	<i>delgadii</i>	172
cryptochrome	97-98	<i>divergens</i>	14
<i>Cryptogramma</i>	47-54, 275	<i>fulva</i>	15
<i>acrostichoides</i>	47, 49, 51	<i>microdonta</i>	172
<i>anomophyllum</i>	48	<i>phalerata</i>	167, 172
<i>bithynica</i>	47-54	<i>poeppigii</i>	168
<i>brunoniana</i>	47-49, 51, 53	<i>roraimensis</i>	176
<i>brunoniana</i> ssp. <i>raddeana</i>		<i>spinulosa</i>	99
	48	<i>walkerae</i>	75
<i>cascadensis</i>	48	Cyatheaceae	69
<i>crispa</i>	47-51, 53-54, 275	<i>Cyclodium</i>	176
<i>crispa</i> sensu stricto	48	<i>inermis</i>	176
<i>emeiensis</i>	48	<i>meniscioides</i> var. <i>rigidissimum</i>	
<i>fumariifolia</i>	48, 51, 54		176
<i>shensiensis</i>	48	<i>rigidissimum</i>	176
<i>sitchensis</i>	47, 48	<i>Cyrtomium</i>	48
<i>stelleri</i>	47, 48, 49	<i>anomophyllum</i>	48
<i>Ctenitis</i>	14, 168, 249, 251	<i>Cystopteris</i>	15, 44, 191, 206
<i>distans</i>	168	<i>alpina</i>	206
<i>equestris</i>	14	<i>diaphana</i>	44, 191, 206
<i>submarginalis</i>	168	<i>fragilis</i>	15, 191
<i>Ctenopterella</i>	89-90, 92, 207	<i>montana</i>	206
<i>gabonensis</i>	89-90, 92	Czech Republic	38
<i>macrorhyncha</i>	89-90		
<i>nhatrangensis</i>	207		
<i>parvula</i>	89-90		
<i>zenkeri</i>	89-90	<i>Danaea</i>	198, 203
<i>Ctenopteris</i>	89, 135, 147,	<i>wendlandii</i>	203
	207-208, 210-211	<i>Davallia</i>	145
<i>brassii</i>	208	Davalliaceae	145
<i>nhatrangensis</i>	207, 211	<i>deciduousness</i>	193, 196
<i>sesquipinnata</i>	210	<i>Dennstaedtia</i>	15, 168
<i>venulosa</i>	135	<i>bipinnata</i>	15
<i>villosissima</i>	89	<i>cicutaria</i>	168
Cuba	242	<i>dissecta</i>	15
<i>Culcita</i>	14, 265	<i>globulifera</i>	15
<i>coniifolia</i>	14		
<i>macrocarpa</i>	265		
<i>Cyathea</i>	14-15, 68, 75, 99,		




Dennstaedtiaceae	1		336
<i>Deparia</i>	195	× <i>initialis</i>	331
<i>pycnosora</i> var. <i>alvosquamata</i>	195	<i>affinis</i>	35
		<i>affinis</i> subsp. <i>pseudodisjuncta</i>	
<i>Dicksonia</i>	15, 70, 95, 168		95
<i>cicutaria</i>	168	<i>caucasica</i>	331
<i>sellowiana</i>	15, 70, 95	<i>crassirhizoma</i>	198
<i>Dicranopteris</i>	167	<i>dilatata</i>	333
<i>flexuosa</i>	167	<i>filix-mas</i>	53, 196, 333
<i>Didymoglossum</i>	15, 193	<i>fragrans</i>	276
<i>ovale</i>	193	<i>intermedia</i>	198
<i>reptans</i>	15	<i>nubigena</i>	16
<i>Diellia</i>	70	<i>oreades</i>	331
<i>pallida</i>	70	<i>patula</i>	16
<i>Diphasiastrum</i>	15, 55-61, 95, 169	<i>tyrrhena</i>	72
× <i>issleri</i>	55-57	<i>wallichiana</i>	16
× <i>oellgaardii</i>	55		
× <i>zeilleri</i>	55, 57		
<i>alpinum</i>	55-57		
<i>complanatum</i>	55-57		
<i>thyoides</i>	15, 169		
<i>tristachyum</i>	55-61		
<i>Diplazium</i>	15-16, 249	Eared Spleenwort	259
<i>cristatum</i>	15	Ecuador	6
<i>diplazioides</i>	15	Egypt	292, 295
<i>donnell-smithii</i>	15	<i>Elaphoglossum</i>	16-17, 141-143,
<i>drepanolobium</i>	15		145, 147, 152-153,
<i>franconis</i>	15		174-175, 246, 249,
<i>lindbergii</i>	15		251, 272
<i>lonchophyllum</i>	15	<i>acutum</i>	174
<i>striatum</i>	15	<i>amplissimum</i>	174
<i>werckleanum</i>	16	<i>andersonii</i>	16
<i>Diplopterygium</i>	16	<i>auricomum</i>	174
<i>bancroftii</i>	16	<i>Elaphoglossum</i> -types	141-142, 145, 147,
<i>Doryopteris</i>	172, 245-246,		152-153
	248-249, 251	<i>ellipticifolium</i>	16
<i>hastata</i>	172	<i>erinaceum</i>	16, 246
<i>sagittifolia</i>	172	<i>flaccidum</i>	175
Drouet	259-260, 265,	<i>glaucum</i>	16
	267-268	<i>hybridum</i>	246
<i>Drynaria</i>	143, 198	<i>lanceum</i>	16
<i>Dryopteris</i>	16, 35, 53, 72, 95,	<i>muscosum</i>	16
	196, 198, 205-206,	<i>paleaceum</i>	16
	272, 276, 331, 333,	<i>peltatum</i>	16



<i>petiolatum</i>	16	130-132, 181, 183,
<i>pilosius</i>	16	185-188
<i>plumosum</i>	175	<i>palustre</i> var. <i>americanum</i>
<i>plumosum</i> var. <i>maternum</i>		186
	175	<i>palustre</i> var. <i>szechuanense</i>
<i>sartorii</i>	16	186
<i>setigerum</i>	17	<i>palustre</i> var. <i>verticillatum</i> f. <i>longiramosum</i>
<i>simplex</i>	175	181
<i>squamipes</i>	17	<i>pratense</i>
<i>squarrosum</i>	17	118, 120, 130, 132,
<i>endemism</i>	241-243, 246-248,	181, 183, 185-188
	250-251	<i>pratense</i>
<i>Equisetum</i>	17, 36-44, 46,	186
	117-124, 126-128,	<i>ramosissimum</i>
	130-133, 181-188,	37-44
	206, 248	subgenus <i>Hippochaete</i>
× <i>bowmanii</i>	132	37, 42
× <i>dycei</i>	117, 132, 185	<i>sylvaticum</i>
× <i>font-queri</i>	130-32, 185	118, 120, 130, 132,
× <i>litorale</i>	117, 130, 132, 187	185-186
× <i>lofotense</i>	130, 132	<i>telmatea</i>
× <i>mchaffieae</i>	186	185
× <i>meridionale</i>	37, 41-42, 44, 46	<i>telmateia</i>
× <i>mildeanum</i>	130, 132, 185	130-132
× <i>montellii</i>	185	<i>variegatum</i>
× <i>moorei</i>	37, 41-42, 44	37-38, 41-42
× <i>robertsii</i>	130, 132	<i>Eriosorus</i>
× <i>rothmaleri</i>	117-124, 126-127,	17
	130-132, 185	<i>flexuosus</i>
× <i>sergijevskianum</i>	132, 181-187	17
× <i>suecicum</i>	185	<i>hirtus</i>
× <i>trachyodon</i>	37, 41-42	17
× <i>sergijevskianum</i>	181	Estonia
<i>arvense</i>	117-119, 121-124,	76
	126-128, 130-133,	Eurasia
	185, 206	185, 186
<i>fluviatile</i>	39, 117-118, 120,	Europe
	130, 132, 185-186	42, 44, 48-49, 51,
<i>hyemale</i>	37-39, 41, 42	57, 166, 181, 183,
<i>laeve pene nudum</i>	39	185-186, 191, 206,
<i>myriochaetum</i>	17	260, 275-276,
<i>nudum ramosum</i>	39	281-285, 287, 292,
<i>palustre</i>	39, 41, 46, 117-119,	305, 319, 321, 324,
	121-124, 126-127,	331, 335
		central
		42, 44, 57, 185-186
		continental
		42, 55
		mainland
		305
		northern
		181, 183, 185,
		281-283, 287, 292
		southern
		282, 286-287, 292
		
		Federated States of Micronesia
		137
		fern conservation
		67-68, 70, 76-77,


	78, 80, 88		87
Fern Ecology	203-204	Flores	259-268
Fiji	233	flow-cytometry	47
Finland	117-119, 122, 126	France	1, 36, 38, 50, 57, 95, 165-166, 283, 290, 297
Flora	3, 37, 67, 135, 151, 195 258, 296	central	36
Azorean flora	259, 269	north-east	95
barcode identification of wild gametophytes	151, 166	French Guiana	1, 3, 6, 95, 166
British Flora	41, 195, 206		
fern flora for Hokkaido	195		
fern flora of Africa	272		
fern flora of Britain and Ireland	195		
fern flora of Celaque National Park	11		
Fern Flora Worldwide Threats and Responses	68	Gabon	89, 93
fide Flora of North America	176	<i>Galactodenia</i>	17
Flora brasiliensis	166	<i>delicatula</i>	17
Flora Malesiana	207	<i>gametophyte</i>	141-154, 307, 308, 311
Flora of China (2013)	225, 227	Germany	38, 47, 51, 97, 116-117, 119, 122, 126, 128, 133, 174, 178, 204, 259, 283, 287, 290
flora of one area of Japan	195	glass production	281, 283-287, 290, 292, 295
Flora of the Guianas	165-166	Glaziou	165-178
Flora of Tropical East Africa	89	<i>Goniophlebium</i>	167-168
Flora Reipublicae Popularis Sinicae	227	<i>lepidopteris</i>	167-168
Flora Zeylanica	215-217, 223	Grammitidaceae	89, 135, 141, 147, 149, 207, 269, 296
Flora Europaea	276	<i>Grammitis</i>	11, 135-137, 147, 176, 207-208, 296
Flora Iberica	305	<i>adpersa</i>	208
Flora Malesiana	135	<i>bongoensis</i>	296
Flora Metropolitana	39	<i>bongorensis</i>	296
Flora of China	258	<i>calcipunctata</i>	136
Flora of Finistère	305	<i>demissa</i>	136
Flora of Thailand	296	<i>friderici-et-pauli</i>	136
Flora of the Guianas	3-5, 8	<i>malaica</i>	208
Flora of the London Area	37	<i>marginella</i>	176
flora of the state of São Paulo	258	<i>marquesensis</i>	136
London Flora Project	37	<i>maxwellii</i>	208
Middlesex flora	39		
Plantæ Cantabrigensis	39		
Species Plantarum	215-217, 223		
wild flora of the Valencian Community			


<i>pleiosora</i>	137		313
<i>ponapensis</i>	137	<i>axillare</i>	17
<i>pubinervis</i>	207	<i>barbatum</i>	150-151
<i>samoensis</i>	137	<i>crassipetiolum</i>	17
<i>sessilifolia</i>	207, 208	<i>elegans</i>	17
<i>setosa</i>	296	<i>fragile</i>	17
<i>subevenosa</i>	207	<i>fucooides</i>	17
<i>tahitensis</i>	137	<i>kuhnii</i>	93
Guam	233, 236	<i>polyanthos</i>	17
Guernsey	297-298, 305	<i>pulchellum</i>	17
Guyana	1-3, 6, 8, 165-166, 168, 174-177	<i>tegularis</i>	17
<i>Gymnocarpium</i>	53	<i>trichophyllum</i>	17
<i>dryopteris</i>	53	<i>tunbrigense</i>	18, 313
<i>Gymnotheca</i>	168	<i>Hypodematium</i>	162
<i>polyodon</i>	168	<i>crenatum</i>	162
		<i>Hypolepis</i>	1-8, 157
Hampshire	55, 59, 61	<i>fimbriata</i>	6
Hawaii	194-195, 199, 204	<i>guianensis</i>	1, 3, 6-8
<i>Hemitelia</i>	176-177	<i>hostilis</i>	6, 8
<i>multiflora</i>	177	<i>krameri</i>	1, 3, 5-8
<i>subincisa</i>	176	<i>nigrescens</i>	8
herbarium	37-39, 42, 44-45, 49, 51-52, 54-57, 61	<i>parallelogramma</i>	6
Herbarium MNHN Paris	165	<i>repens</i>	6, 8
<i>Heteroneuron</i>	169, 172	<i>rigescens</i>	6, 8
<i>serratifolium</i>	169, 172	sp.1	1-2, 6
<i>Hippochaete</i>	37, 42, 44	sp.2	1-2, 6
<i>Equisetum</i> subgenus	37	sp.3	6
<i>hybrids</i>	44	<i>trinationalis</i>	1-8
<i>subgenus</i>	42	<i>viscosa</i>	3
<i>Histiopteris</i>	157, 258		
Honduras	11, 23	Iceland	186
Hungary	324	indeterminate growth	193-194
<i>Huperzia</i>	59, 61, 246, 269	Index of American Pteridophytes	166
<i>dentata</i>	269	India	25, 49, 159-160, 203, 213, 219, 225, 227, 231, 237
Hymenophyllaceae	141, 149-151, 153, 171, 307, 313	Indonesia	227
<i>Hymenophyllum</i>	17-18, 93, 150, 249,	Ireland	119, 122, 187, 195,

	205, 324, 333-334, 337	<i>Lellingeria</i>	176, 209
Isles of Scilly	191	<i>subsessilis</i>	176
<i>Isoetes</i>	30, 33, 35-36, 191, 206, 249, 251, 269, 297, 300-305	<i>Lepisorus</i>	145
<i>azorica</i>	269	<i>Leptochilus</i>	147
<i>histrix</i>	297, 301-303	<i>Lindsaea</i>	175-176, 249
<i>hystrix</i>	191	<i>cultriformis</i>	176
Italy	57, 282, 284, 337	<i>divaricata</i>	175
		<i>guianensis</i>	175
		<i>lancea</i> var. <i>semilunata</i>	175
		<i>pallida</i>	176
		<i>pendula</i>	175
		<i>portoricensis</i>	175
		<i>semilunata</i>	175
		<i>stricta</i> var. <i>stricta</i>	175
		<i>tetraptera</i>	175
Jamaica	6, 195, 261	Lomariopsidaceae	145, 147
Jamesonia	199	<i>Lomariopsis</i>	241, 248, 250
Japan	97, 110, 116, 141, 145, 154, 157, 186, 195, 321, 327	<i>guineensis</i>	248
		<i>japurensis</i>	248
		<i>latipinna</i>	248
		<i>marginata</i>	248
Java	207-208, 210, 225, 296	<i>nigropaleata</i>	248
		<i>palustris</i>	248
Jermy, A.C.	33-35, 38, 55, 56, 61	<i>prieuriana</i>	248
		<i>sorbifolia</i> -group	248, 250
		<i>Lophosoria</i>	18
		<i>quadripinnata</i>	18
		Lord Howe Island	228
		<i>Loxogramme</i>	146-147, 149
		gametophytes	149
		<i>salicifolia</i>	146, 149
<i>Kaulinia</i>	143, 147, 152	Luxembourg	95
		lycophytes	11-12, 30-31, 193, 205, 241-248, 251, 258, 272
		<i>Lycopodiella</i>	41, 59, 169
		<i>alopecuroides</i> var. <i>integerrima</i>	169
leaf dimorphism	193, 198	<i>inundata</i>	41
Leaf Lifespan	193-200	<i>longipes</i>	169
leaf traits	193-194, 200	Lycopodiophyta	98, 272
lectotype	207-210, 213, 217, 219, 221, 223, 226, 227	Synopsis of the Lycopodiophyta and Pteridophyta of Africa, Madagascar and neighbouring islands	272
lectotypifications	207, 217	<i>Lycopodium</i>	18, 41, 56-57, 59,

	61, 169	<i>hirsuta</i>	269
<i>alopecuroides</i> var. <i>pseudo-reflexum</i>		<i>quadrifolia</i>	70-71
	169	Marsileaceae	30
<i>alpinum</i>	56	Mascarene	89
<i>chamaecyparissus</i>	56-57	Mascarenes	213, 225, 227, 230-231, 237, 261
<i>clavatum</i>	18, 41, 61	Matoniaceae	153
<i>complanatum</i>	56, 169	<i>Matteuccia</i>	195
<i>reflexum</i>	169	<i>struthiopteris</i>	195
<i>sensu lato</i>	61	Mauritius	223-225, 227, 229-230, 232, 235, 261
<i>tristachyum</i>	56	<i>Mecodium</i>	151
<i>Lygodium</i>	99, 141-145, 152-153, 196, 199	<i>australe</i>	151
<i>japonicum</i>	99, 144-145, 152	<i>Megalastrum</i>	18, 241, 244, 246, 249, 250-251
<i>Lygodium</i> -type	141-145, 152-153	<i>indusiatum</i>	251
<i>venustum</i>	196	<i>littorale</i>	251
		<i>organense</i>	251
		<i>retrorsum</i>	251
		<i>sparsipilosum</i>	18
		<i>substrigosum</i>	251
		meiosis	319-320, 328, 333-335
		<i>Melpomene</i>	18
		<i>deltata</i>	18
		<i>firma</i>	18
		<i>moniliformis</i>	18
		<i>xiphopteroides</i>	18
		meristem	141, 143-153, 157
		<i>Mertensia</i>	167
		<i>pubescens</i>	167
		<i>scalpturata</i>	167
		Mexico	160, 193-195, 198, 204, 245-246, 261
		microbeam irradiation	97, 99, 103-104, 106, 108
		<i>Microgramma</i>	172, 246, 249
		<i>lycopodioides</i>	246
		<i>mauritiana</i>	246
		<i>vacciniifolia</i>	172
		micromorphology	117-118, 125, 127, 131-132
		Micronesia	137
Macaronesia	225, 259-260, 275, 276		
macromorphology	117, 121, 127, 132		
<i>Macrothelypteris</i>	18		
<i>torresiana</i>	18		
Madagascar	89, 213, 225, 227, 248, 250, 259, 261, 269, 272		
Madeira	225, 259-260, 269, 330		
Maharashtra	159-162		
Malawi	261		
Malaya	227, 233		
Malaysia	208, 225, 227		
Malesia	135, 207		
<i>Marattia</i>	18, 143, 168		
<i>cicutifolia</i>	168		
<i>excavata</i>	18		
<i>interposita</i>	18		
Marianas	233, 236		
Marquesas Islands	136		
<i>Marsilea</i>	30, 70-71, 269		
<i>azorica</i>	269		



<i>Mohria</i>	147, 272
Mongolia	186
<i>Moranopteris</i>	18, 258
<i>basiatenuata</i>	18
Mozambique	261
Myanmar	225, 227, 231
	
neochrome	97-99, 103-104, 106, 109, 116
neotropical element	259
Nepal	213, 231
<i>Nephrodium</i>	168
<i>caripense</i>	168
<i>subobliquatum</i>	176
Netherlands	284
New Caledonia	225, 228
New Zealand	89, 135, 207, 213, 227-228, 231, 237
<i>Niphidium</i>	18
<i>crassifolium</i>	18
Norfolk Island	228
North America	47-48, 57, 97, 157, 176, 183, 186, 194, 261, 269, 319, 321, 324, 333-334
American Fern Journal	204
American Society of Plant Biologists	116
Botanical Society of America	157
Flora of North America	176
from Alaska to Labrador	186
North American	47, 55-56
North American diploid hybrids	328
North American diploid species	320-321, 328
North American Polystichums	321

North American tetraploids	335
North American triploid hybrids	328
North American wild diploid hybrids	328
North American wild hybrids	328
north-western North America	47, 48
northern North America	183
southern North America	261
tropical North America	269
United States of America	97
western and eastern North America	48
Norway	119, 122, 132
<i>Notholaena</i>	276
<i>marantae</i>	276
nuclear movement	97-98, 104, 107
	
Oceania	213, 225
<i>Oleandra</i>	18
<i>articulata</i>	18
<i>Onoclea</i>	104
<i>sensibilis</i>	104
<i>Onychium</i>	147
Ophioglossaceae	95, 141
<i>Ophioglossum</i>	30, 191, 305
<i>lusitanicum</i>	191, 305
<i>Oreogrammitis</i>	135-136, 207, 208, 296
<i>adpersa</i>	208
<i>bongoensis</i>	296
<i>congener</i>	296
<i>nuda</i>	208
<i>pubinervis</i>	207
<i>reinwardtii</i>	296

<i>setosa</i>	207, 296
<i>sinohirtella</i>	296
<i>subevenosa</i>	207-208
<i>Osmunda</i>	18, 34, 72, 74-75, 99, 143, 198, 275
<i>claytoniana</i>	198
<i>crispa</i>	275
<i>japonica</i>	99
<i>regalis</i>	18, 34, 72, 74-75



Pacific	207, 227
<i>Paesia</i>	258
Pakistan	53
Panama	6
Papua New Guinea	136, 208, 210
<i>Paragymnopteris</i>	276
<i>marantae</i>	276
<i>Paraleptochilus</i>	147
<i>Pecluma</i>	18, 244, 249
<i>alfredii</i>	18
<i>Pellaea</i>	241, 250, 275
<i>flavescens</i>	250
<i>viridis</i>	241, 250, 275
Peru	6
<i>Phanerophlebia</i>	19
<i>juglandifolia</i>	19
<i>Phanerosorus</i>	153
phenology	193
Philippines	208-210, 225, 227, 231
<i>Phlebodium</i>	19, 196
<i>areolatum</i>	196
<i>inaequale</i>	19
<i>pseudoaureum</i>	19
<i>Phlegmariurus</i>	11, 19, 169, 249, 251
<i>acerosus</i>	19
<i>hartwegianus</i>	19
<i>hippurideus</i>	19

<i>mexicanus</i>	19
<i>myrsinites</i>	19
<i>pringlei</i>	19
<i>reflexus</i>	169
<i>subulatus</i>	19
photomorphogenesis	97-99, 103, 116
phototropin	97-99, 106, 116
phylogeography	241-244, 248
phytochrome	97-99, 103, 116
<i>Pilularia</i>	41, 206
<i>globulifera</i>	41, 206
<i>Pityrogramma</i>	19, 76
<i>calomelanos</i>	19, 76
<i>tartarea</i>	19
<i>Plagiogyria</i>	198
<i>Platyterium</i>	75, 198
<i>Pleopeltis</i>	11, 19-20, 168, 176, 246
<i>alansmithii</i>	19
<i>complanata</i>	19
<i>crassinervata</i>	19
<i>hirsutissima</i>	168
<i>lepidopteris</i>	168
<i>lindeniana</i>	19
<i>macrocarpa</i>	20, 246
<i>mexicana</i>	20
<i>plebeia</i>	20
<i>polypodioides</i>	20, 176
<i>sanctae-rosae</i>	20
<i>Pleurosoriopsis</i>	153
Poland	11, 50, 119, 122, 126, 128
Polynesia	135, 225, 229, 233
polyploidy	319, 335, 336
Polypodiaceae	89, 135, 141, 145, 147, 149, 153, 207, 248, 258, 296
<i>Polypodium</i>	20, 136-137, 168, 172, 176, 196, 199, 205-211, 265, 276
<i>aequale</i>	20
<i>bipinnatifidum</i> var. <i>foersteri</i>	210
<i>calcipunctatum</i>	136

<i>cilare</i>	172	<i>vacciniifolium</i>	172
<i>circumvallata</i>	208	<i>vulgare</i>	199
<i>conterminans</i>	20	<i>wawoense</i>	136
<i>cryptosorum</i>	208	<i>Polystichum</i>	20, 53, 195, 198,
<i>duriusculum</i>	209		272, 319-323, 326,
<i>emersonii</i> var. <i>samoense</i>			328-336
	207-208, 211	× <i>amboversum</i>	326
<i>fissidens</i>	20	× <i>bicknellii</i>	334-335
<i>fragrans</i>	276	× <i>hakonense</i>	327
<i>fraternum</i>	20	× <i>hitoyoshiense</i>	326
<i>friderici-et-pauli</i>	136	× <i>hokurikuense</i>	325-326, 332
<i>hartwegianum</i>	20	× <i>illyricum</i>	334-335
<i>hirsutissimum</i>	172	× <i>inadae</i>	326
<i>incanum</i>	176	× <i>izuense</i>	327
<i>javanicum</i>	208	× <i>jitaroi</i>	326
<i>lepidopteris</i>	168	× <i>kiyozumianum</i>	327
<i>lepidopteris</i> var. <i>rufulum</i>		× <i>kumamontanum</i>	326
	172	× <i>kunioi</i>	327, 332
<i>lividum</i>	210	× <i>kurokawae</i>	327
<i>macaronesticum</i> subsp. <i>azoricum</i>		× <i>lonchitifforme</i>	324, 333-335, 337
	265	× <i>luerssenii</i>	325, 337
<i>malaicum</i>	207	× <i>mashikoi</i>	327
<i>marginellum</i>	176	× <i>meyeri</i>	321, 325
<i>maxwellii</i>	208	× <i>miuranum</i>	326
<i>minutissimum</i>	209	× <i>namegatae</i>	327
<i>muenchii</i>	20	× <i>ohtanii</i>	326
<i>pleiosoros</i>	137	× <i>ongataense</i>	327
<i>pleiosorum</i>	137	× <i>shintashiroi</i>	326
<i>plesiosorum</i>	20	× <i>suginoi</i>	326
<i>pteridioides</i>	276	× <i>utsumii</i>	326
<i>pubinerve</i>	207	× <i>wirtgenii</i>	321, 325, 337
<i>rhodopleuron</i>	196	<i>acrostichoides</i>	198, 320-325, 329,
<i>samoense</i>	137		336-337
<i>savaiiense</i>	137	<i>acrostichoides</i> × <i>munitum</i>	
<i>secundum</i>	210		324
<i>sessilifolium</i>	207	<i>aculeatum</i>	319-320, 322-323,
<i>subcoriaceum</i>	209		325, 328-330,
<i>subvenosum</i>	207		332-337
<i>subfalcatum</i> var. <i>semiintegrum</i>		<i>aculeatum</i> × <i>acrostichoides</i>	
	210		325, 329
<i>subpetiolatum</i>	20	<i>aculeatum</i> × <i>braunii</i>	325, 330, 332
<i>subsecundodissectum</i> var. <i>novoguineense</i>		<i>aculeatum</i> × <i>munitum</i>	325
	210	<i>aculeatum</i> × <i>setiferum</i>	328
<i>subsessile</i>	176	<i>braunii</i>	319-320, 323, 325,
<i>tahitense</i>	137		

	327-328, 330, 332-334, 336, 337	<i>makinoi</i> × <i>tagawanum</i>	327
<i>braunii</i> × <i>acrostichoides</i>	325-336	<i>mohrioides</i>	324, 328, 334, 335
<i>braunii</i> × <i>lonchitis</i>	320	<i>mohrioides</i> × <i>munitum</i>	324, 328
<i>braunii</i> × <i>makinoi</i>	327, 332	<i>munitum</i>	320-325, 328-330, 334-335, 337
<i>braunii</i> × <i>munitum</i>	334	<i>munitum</i> × <i>californicum</i>	334
<i>braunii</i> × <i>setiferum</i>	320	<i>munitum</i> × <i>dudleyi</i>	334-335
<i>californicum</i>	328, 334-335	<i>munitum</i> × <i>imbricans</i>	324
<i>californicum</i> × <i>dudleyi</i>	328	<i>munitum</i> × <i>mohrioides</i>	335
<i>californicum</i> × <i>munitum</i>	328	<i>muricatum</i>	324
	328	<i>otomasui</i>	326
<i>dudleyi</i>	324, 328-329, 334, 335	<i>otomasui</i> × <i>polyblepharum</i>	326
<i>dudleyi</i> × <i>californicum</i>	334	<i>otomasui</i> × <i>pseudomakinoi</i>	326
<i>dudleyi</i> × <i>munitum</i>	324, 328	<i>otomasui</i> × <i>tagawanum</i>	326
<i>erythrosorum</i>	20	<i>ovatopaleaceum</i>	326, 327
<i>falcinellum</i>	325, 330	<i>ovatopaleaceum</i> × <i>pseudomakinoi</i>	327
<i>fibrillosopaleaceum</i>	326, 332		326, 327
<i>fibrillosopaleaceum</i> × <i>longifrons</i>	326	<i>polyblepharum</i>	326, 327
<i>fibrillosopaleaceum</i> × <i>polyblepharum</i>	326	<i>polyblepharum</i> × <i>tagawanum</i>	327
<i>fibrillosopaleaceum</i> × <i>pseudomakinoi</i>	326	<i>Polystichum</i>	319-327, 337
	326	<i>potteri</i>	325
<i>hartwegii</i>	20	<i>pseudomakinoi</i>	326-327
<i>hybrids</i>	319	<i>pseudomakinoi</i> × <i>tagawanum</i>	327
<i>kruckebergii</i>	334		325-326, 332
<i>lonchitis</i>	53, 195, 319- 325, 328-330, 333, 336-337	<i>retrosopaleaceum</i>	326
<i>lonchitis</i> × <i>acrostichoides</i>	324	<i>retrosopaleaceum</i> × <i>longifrons</i>	326
<i>lonchitis</i> × <i>braunii</i>	325	<i>retrosopaleaceum</i> × <i>microchlamys</i>	326
<i>lonchitis</i> × <i>munitum</i>	321	<i>retrosopaleaceum</i> × <i>ovatopaleaceum</i>	326
<i>lonchitis</i> × <i>setiferum</i>	324, 328, 333	<i>retrosopaleaceum</i> × <i>polyblepharum</i>	326
<i>longifrons</i>	325-327, 332		326
<i>longifrons</i> × <i>retrosopaleaceum</i>	325	<i>retrosopaleaceum</i> × <i>pseudomakinoi</i>	326
<i>longifrons</i> × <i>pseudomakinoi</i>	327	<i>scopulinum</i>	328, 334, 335
	327	<i>scopulinum</i> × <i>mohrioides</i>	334
<i>makinoi</i>	327, 332	<i>scopulinum</i> × <i>munitum</i>	328, 334
<i>makinoi</i> × <i>ovatopaleaceum</i>	327	<i>setiferum</i>	319,-325, 328-330, 333-334, 336-337
<i>makinoi</i> × <i>pseudomakinoi</i>	327	<i>setiferum</i> × <i>acrostichoides</i>	

	321, 324
<i>setiferum</i> × <i>braunii</i>	325
<i>setiferum</i> × <i>falcinellum</i>	325, 330
<i>setiferum</i> × <i>munitum</i>	321
<i>setigerum</i>	334, 335
<i>speciosissimum</i>	324
<i>tagawanum</i>	326, 327
Portugal	264-265, 297
<i>Prosaptia</i>	135-136, 207, 208, 209
<i>alata</i>	209
<i>barathrophylla</i>	208
<i>brassii</i>	207-208
<i>emersonii</i>	209
<i>javanica</i>	207-208
<i>minutissimum</i>	207
<i>samoensis</i>	207-209
<i>secundum</i>	207
<i>subcoriaceum</i>	207
<i>subsecundodissectum</i> var. <i>novoguineense</i>	207
Psilotaceae	141
<i>Psilotum</i>	248
Pteridaceae	25, 47, 147, 258, 275-276
<i>Pteridium</i>	20, 191, 258, 281
<i>aquilinum</i>	281
<i>aquilinum</i>	20
<i>Pteridophyta</i>	1, 30, 47, 165, 331
<i>Pteris</i>	21, 25-29, 67, 104, 176, 244, 249, 258, 275-276
<i>acrosticha</i>	276
<i>arisanensis</i>	25
<i>confusa</i>	25
<i>cretica</i>	21
<i>gongalensis</i>	25
<i>orizabae</i>	21
<i>paucinervata</i>	21
<i>praetermissa</i>	25, 28
<i>pungens</i>	176
<i>quadriaurita</i>	21, 25, 28
<i>reptans</i>	25-28
<i>viridis</i>	275

<i>vittata</i>	67, 104
Puerto Rico	194-195, 198, 203
<i>Pyrrosia</i>	145




Quillwort	297, 299
-----------	----------




<i>Radiogrammitis</i>	135, 136
red light	97-99, 101-107, 109
Romania	333, 337
Roraima	1-3, 8, 174
Roux, J.P.	272
Cape peninsula ferns	272
<i>Ruhmora</i>	177
<i>adiantiformis</i>	177
Russia	38, 50, 181, 186-187, 188



Samoa	137, 208-209, 233
<i>Schizaea</i>	95, 141, 177
<i>incurvata</i>	95
<i>stricta</i>	177
<i>Scoliosorus</i>	21
<i>ensifformis</i>	21
<i>Scoparia</i>	169, 172
<i>dulcis</i>	169, 172
Scrophulariaceae	169, 172
seasonality	193, 196, 204
<i>Selaginella</i>	21, 36, 98, 249, 313, 315
<i>bernoullii</i>	21

<i>moellendorffii</i>	98		219, 223, 225, 227, 233, 237
<i>pallescens</i>	21		
<i>porphyrospora</i>	21	<i>Stenogrammitis</i>	21, 207, 209
<i>pulcherrima</i>	21	<i>minutissima</i>	207, 209
<i>silvestris</i>	21	<i>mysurooides</i>	21
The genus <i>Selaginella</i> in tropical South		<i>prionodes</i>	21
America	36	<i>subcoriacea</i>	209
<i>uncinata</i>	313, 315	<i>Sticherus</i>	21
Selaginellaceae	258	<i>fulvus</i>	21
<i>Selliguea</i>	144-145	<i>underwoodianus</i>	21
<i>hastata</i>	144-145	Suriname	1, 6, 8, 166
Selvages	259	Switzerland	3, 50
SEM	117-118, 126, 132-133	synthesized hybrids	319, 331
<i>Serpocaulon</i>	21, 244	Syria	283, 292
<i>triseriale</i>	21		
Siberia	48, 132, 181, 186, 187, 188		
<i>Sophora</i>	172	Taiwan	48, 195, 198, 208, 227
<i>littoralis</i>	172	<i>Terpsichore</i>	21-22, 194
South America	1, 36, 47-48, 95, 160, 166, 225, 241, 244, 248, 251, 259, 261	<i>asplenifolia</i>	21, 194
Central and South America, from Brazil to		<i>semihirsuta</i>	22
Bolivia	261	Thailand	208, 225, 227, 231, 296
northern South America I		<i>Thelypteris</i>	22, 70, 249, 251
South American flora	251	<i>hispidula</i>	22
south-western South America (Chile, Argentina)	48	<i>patens</i>	22
southern parts of South America	47	<i>pilosula</i>	22
The genus <i>Selaginella</i> in tropical South		<i>quelpaertensis</i>	70
America	36	<i>resinifera</i>	22
tropical America	241, 243, 245	<i>rudis</i>	22
tropical American ferns	245	<i>Tomophyllum</i>	207, 209-210
Spain	67, 70-71, 87	<i>bipinnatifidum</i>	210
speciation	241, 245, 248, 250, 252	<i>duriusculum</i>	207, 209
<i>Sphaeropteris</i>	199	<i>foersteri</i>	207, 210
<i>cooperi</i>	199	<i>lividum</i>	207, 210
spore bank	67, 70, 72, 74, 88	<i>secundum</i>	207, 210
sporophyte	307-309, 311-316, 328	<i>sesquipinnatum</i>	207, 210
Sri Lanka	25, 213, 215, 217,	<i>subsecundodissectum</i>	210
		Tonga	209, 233
		<i>Trichomanes</i>	35, 150, 153, 177,

	206, 213, 215-217, 219-221, 223, 225, 237, 246, 249, 307-308, 310-316
<i>accedens</i>	177
<i>adiantoides</i>	213, 215-217, 219-221, 223, 225, 237
<i>aethiopicum</i>	223
<i>bicorne</i>	177
<i>cellulosum</i>	177
<i>filiforme</i>	177
<i>giganteum</i>	246
<i>marinum</i>	260, 264-265
<i>plumosum</i>	177
<i>punctatum</i> subsp. <i>floridanum</i>	310, 314
<i>punctatum</i>	311-313, 315-316
<i>punctatum</i> subsp. <i>floridanum</i>	307-308, 313-316
<i>radicans</i>	246
<i>reptans</i>	246
<i>speciosum</i>	206
Tunisia	297
Turkey	47-53, 297, 337



United Kingdom	38, 181
United States	97, 159




<i>Vandenboschia</i>	22
<i>radicans</i>	22
Venezuela	1, 2, 6, 160, 174, 241
Vietnam	207-208, 225, 227, 296


<i>Vittaria</i>	22, 141-143, 148-153
<i>graminifolia</i>	22
<i>Vittaria-type</i>	141-142, 149-153
<i>Vittaria-types</i>	149, 152-153
Vittariaceae	141, 149, 151, 246



Western Ghats	159, 161
wild hybrids	319, 321, 326, 328, 337
<i>Woodsia</i>	70, 76
<i>ilvensis</i>	70, 76
<i>Woodwardia</i>	22, 199
<i>semicordata</i>	199
<i>spinulosa</i>	22



<i>Xiphopteris</i>	89
<i>serrulata</i>	89



<i>Zygophlebia</i>	89
<i>villosissima</i>	89

AUTHOR INDEX

Author Index in alphabetic order

Author	Page Numbers
Bennallick, I.J.	297-306
Boudrie, M.	1-9, 165-180
Bujnoch, W.	47-54
Burrows, J.E.	30-31
Burrows, S.	30-31
Carine, M.	259-271
Cremers, G.	1-9
Cremers, G.	165-180
Crouch, N.R.	30-31
Dongare, M.	159-163
Dörken, V.M.	117-134
Estrelles, E.	67-86
Fraser-Jenkins, C.R.	213-239
Gibby, M.	272-274
Gureyeva, I.I.	181-190
Heise, W.	11-23
Hirai, R.Y.	241-257
Ibars, A.M.	67-86
Imaichi, R.	141-156
Jackson, C.M.	281-294
Jessen, S.	47-54
Klopper, R.	30-31
Lehmann, L.	47-54
Lubienski, M.	117-134
Madhusoodanan, P.V.	25-29
McHaffie, H.	205-206
Mehltreter, K.	193-202
Naks, P.	11-23
Page, C.N.	181-190
Parris, B.S.	89-93, 135-138, 207-211, 296
Patil, S.	159-163
Pearman, D.A.	297-306
Pence, V.C.	307-317
Piatek, K.	11-23
Prado, J.	241-257
Reyes Calderon, O.	11-23
Rickard, M.H.	33, 34-36
Ripley, P.	94-95
Rumsey, F.J.	37-46, 55-62, 259-271, 275-279, 297-306
Salgado, A.E.	213-239
Sandoval, G.	11-23
Schaefer, H.	259-271
Schwartsburd, P.B.	1-9
Sharpe, J. M.	193-202
Sleep†, A.	319-341
Spencer, M.	37-46
Sreenivas, V.K.	25-29
Wada, M.	97-115
Wayda, M.	11-23

FULL CONTENTS

Category	Title	Authors	Part	Pages
Main Article	Two new species of <i>Hypolepis</i> (Dennstaedtiaceae: Pteridophyta) from Mount Roraima region (N South America) and a revised key for the Guianan species	P.B. Schwartsburd, M. Boudrie & G. Cremers	#1	1-9
Main Article	Ferns and lycophytes of Celaque National Park, Honduras	K. Piatek, P. Naks, W. Heise, M. Wayda, O. Reyes Calderon & G. Sandoval	#1	11-23
Main Article	<i>Pteris reptans</i> (Pteridaceae) - A new record for India	V.K. Sreenivas & P.V. Madhusoodanan	#1	25-29
Book Review	Ferns of Southern Africa. A comprehensive guide by N.R. Crouch, R.R. Klopper, J.E. Burrows & S.M Burrows	M. Gibby	#1	30-31
Commemorative Article	Portrait of Clive Jermy	M.H. Rickard	#2	33
Commemorative Article	Clive Jermy - A tribute on the occasion of his 80th birthday, 3rd July 2012	M.H. Rickard	#2	34-36
Main Article	Is <i>Equisetum ramosissimum</i> (Equisetaceae: Equisetophyta) native to the British Isles?	F.J. Rumsey & M. Spencer	#2	37-46
Main Article	<i>Cryptogramma bithynica</i> spec. nov. (Pteridaceae, Pteridophyta) – a new fern species from Northwestern Anatolia / Turkey	S. Jessen, L. Lehmann & W. Bujnoch	#2	47-54
Main Article	<i>Diphasiastrum tristachyum</i> (Pursh) Holub (Lycopodiaceae: Lycopodiophyta) – an overlooked extinct British native	F.J. Rumsey	#2	55-62
Review	Announcing a new feature – Fern Gazette reviews		#3	65
Review	Recent developments in ex situ and in situ conservation of ferns	A. M. Ibars & E. Estrelles	#3	67-86
Review	A short biography of Ana M. Ibars and Elena Estrelles		#3	87-88
Main Article	<i>Ctenopterella gabonensis</i> a new species of grammitid fern (Polypodiaceae) from Gabon, Africa	B. S. Parris	#3	89-93
Book Review	Les Fougères d'Alsace, d'Europe et du Monde. Actes du Colloque en hommage à Claude Jérôme (1937-2008)	P. Ripley	#3	94-95
Review	Recent advances in the understanding of fern responses to light	M. Wada	#4	97-115
Review	A short biography of M. Wada		#4	116
Main Article	Morphological studies of <i>Equisetum</i> × <i>rothmaleri</i> (<i>E. arvense</i> × <i>E. palustre</i> , Equisetaceae, Equisetopsida) in Finland	M. Lubienski & V. M. Dörken	#4	117-134
Main Article	<i>Archigrammitis</i> , a new genus of grammitid fern (Polypodiaceae) from Malesia and Polynesia	B S Parris	#4	135-138
Review	A new classification of the gametophyte development of homosporous ferns, focusing on meristem behaviour	R. Imaichi	#5	141-156

Review	A short biography of Ryoko Imaichi		#5	157
Main Article	The genus <i>Adiantum</i> L. from Maharashtra: a note on the addition of two species for Maharashtra, India	Sachin Patil, S. Patil & M. Dongare	#5	159-163
Main Article	Glaziou's pteridophyte collection at the Paris herbarium	G. Cremers & M. Boudrie	#5	165-180
Main Article	<i>Equisetum</i> × <i>sergijevskianum</i> , a hybrid horsetail from Siberia	C.N. Page & I.I. Gureyeva	#5	181-190
Book Review	Ferns, Clubmosses, Quillworts and Horsetails of Cornwall and the Isles of Scilly. Murphy, R.J., Page, C.N., Parslow, R.E. & Bennallick, I.J. 2012.	F.J. Rumsey	#5	191
Review	Causes and consequences of the variability of leaf lifespan of ferns	K. Mehltreter & J. M. Sharpe	#6	193-202
Review	A short biography of Joanne M. Sharpe		#6	203
Review	A short biography of Klaus Mehltreter		#6	204
Book Review	Who found our ferns? John Edgington. 2013. British Pteridological Society Special Publication No 12	H. McHaffie	#6	205-206
Main Article	New combinations and lectotypifications for some south-east Asian, Malesian and Pacific grammitid ferns (Polypodiaceae)	B S Parris	#6	207-211
Main Article	The nomenclature, typification and taxonomy of <i>Asplenium falcatum</i> , <i>A. polyodon</i> and confused species	A.E. Salgado & C.R. Fraser-Jenkins	#6	213-239
Review	Biogeography of the Brazilian Atlantic forest: evidence from phylogenetic data sets and perspectives for fern and lycophyte studies	J. Prado & R.Y. Hirai	#7	241-257
Review	A short biography of the authors		#7	258
Main Article	<i>Asplenium auritum</i> Sw. sensu lato (Aspleniaceae: Pteridophyta) - an overlooked Neotropical fern native to the Azores	F.J. Rumsey, H. Schaefer & M. Carine	#7	259-271
Obituary	Dr Jacobus P. Roux	M. Gibby	#7	272-274
Main Article	Some name changes in the Pteridaceae of Macaronesia and Europe - with validation of hybrid names in the genus <i>Allosorus</i> Bernh.	F.J. Rumsey	#7	275-279
Review	Bracken and the glassmaker's art	C.M. Jackson	#8	281-294
Review	A short biography of the author		#8	295
Short Note	<i>Oreogrammitis setosa</i> and <i>O. sinohirtella</i> in Thailand	B. S. Parris	#8	296
Main Article	Monitoring change in <i>Isoetes histrix</i> Bory (Isoetaceae) at its northern distributional limit	D.A. Pearman, F.J. Rumsey & I.J. Bennallick	#8	297-306
Main Article	In vitro propagation and cryopreservation of the endangered filmy fern, <i>Trichomanes punctatum</i> subsp. <i>floridanum</i> (Hymenophyllaceae)	V.C. Pence	#8	307-317
Main Article	Hybridization in <i>Polystichum</i> (Dryopteridaceae: Pteridophyta)	A. Sleep†	#8	319-341